



WOLFRAM TOOL

TOOL NAME	EDP	SIZE	SIZE_DEC	SHANK	Inch	Drill Length mm	Inch	mm	OAL Inch	OAL mm
Coolant Thru Drills 3X										
RCDR-1/16-3X	13166	1/16	0.0625	3mm	0.1875	4.8	0.234	6.0	2.362	60
RCDR-2mm-3X	13167	2mm	0.0787	3mm	0.236	6.0	0.295	7.5	2.362	60
RCDR-3/32-3X	13168	3/32	0.0938	3mm	0.281	7.1	0.352	8.9	2.362	60
RCDR-40-3X	13169	40	0.0980	3mm	0.294	7.5	0.368	9.3	2.362	60
RCDR-2.5mm-3X	13170	2.5mm	0.0984	3mm	0.295	7.5	0.369	9.4	2.362	60
RCDR-36-3X	13171	36	0.1065	3mm	0.320	8.1	0.399	10.1	2.362	60
RCDR-7/64-3X	13172	7/64	0.1094	3mm	0.328	8.3	0.410	10.4	2.362	60
RCDR-32-3X	13173	32	0.1160	3mm	0.348	8.8	0.435	11.0	2.362	60
RCDR-3mm-3X	13174	3mm	0.1181	3mm	0.354	9.0	0.443	11.3	2.362	60
RCDR-31-3X	13175	31	0.1200	1/8	0.358	9.1	0.407	10.4	2.362	60
RCDR-1/8-3X	13176	1/8	0.1250	1/8	0.375	9.5	0.469	11.9	2.362	60
RCDR-30-3X	13177	30	0.1285	4mm	0.386	9.8	0.482	12.3	2.441	62
RCDR-29-3X	13178	29	0.1360	4mm	0.409	10.4	0.512	13.0	2.441	62
RCDR-9/64-3X	13179	9/64	0.1406	4mm	0.422	10.7	0.527	13.4	2.441	62
RCDR-5/32-3X	13180	5/32	0.1563	4mm	0.469	11.9	0.586	14.9	2.441	62
RCDR-4mm-3X	13181	4mm	0.1575	4mm	0.472	12.0	0.591	15.0	2.441	62
RCDR-4.5mm-3X	13182	4.5mm	0.1575	5mm	0.531	13.5	0.665	16.9	2.520	64
RCDR-3/16-3X	13183	3/16	0.1875	5mm	0.563	14.3	0.703	17.9	2.520	64
RCDR-5mm-3X	13184	5mm	0.1969	5mm	0.591	15.0	0.738	18.8	2.520	64
RCDR-13/64-3X	13185	13/64	0.2031	6mm	0.609	15.5	0.762	19.3	2.598	66
RCDR-7/32-3X	13186	7/32	0.2188	6mm	0.656	16.7	0.820	20.8	2.598	66
RCDR-6mm-3X	13187	6mm	0.2362	6mm	0.709	18.0	0.886	22.5	2.598	66
RCDR-1/4-3X	13188	1/4	0.2500	8mm	0.750	19.1	0.938	23.8	2.992	76
RCDR-7mm-3X	13189	7mm	0.2756	8mm	0.827	21.0	1.033	26.3	2.992	76
RCDR-9/32-3X	13190	9/32	0.2813	8mm	0.844	21.4	1.055	26.8	2.992	76
RCDR-5/16-3X	13191	5/16	0.3125	8mm	0.938	23.8	1.172	29.8	2.992	76
RCDR-8mm-3X	13192	8mm	0.3150	8mm	0.945	24.0	1.181	30.0	2.992	76
RCDR-11/32-3X	13193	11/32	0.3438	10mm	1.031	26.2	1.289	32.7	3.504	89
RCDR-9mm-3X	13194	9mm	0.3543	10mm	1.063	27.0	1.329	33.8	3.504	89

TOOL NAME	EDP	SIZE	SIZE_DEC	SHANK	Drill Length Inch	Drill Length mm	Flute Length Inch	Flute Length mm	OAL Inch	OAL mm
Coolant Thru Drills 3X										
RCDR-3/8-3X	13195	3/8	0.3750	10mm	1.125	28.6	1.406	35.7	3.504	89
RCDR-10mm-3X	13196	10mm	0.3937	10mm	1.181	30.0	1.476	37.5	3.504	89
RCDR-11mm-3X	13197	11mm	0.4331	12mm	1.299	33.0	1.624	41.3	4.016	102
RCDR-7/16-3X	13198	7/16	0.4375	12mm	1.313	33.3	1.641	41.7	4.016	102
RCDR-12mm-3X	13199	12mm	0.4724	12mm	1.417	36.0	1.772	45.0	4.016	102
RCDR-1/2-3X	13200	1/2	0.5000	14mm	1.500	38.1	1.875	47.6	4.016	102
RCDR-13mm-3X	13201	13mm	0.5118	14mm	1.535	39.0	1.919	48.8	4.016	102
RCDR-14mm-3X	13202	14mm	0.5512	14mm	1.654	42.0	2.067	52.5	4.016	102
RCDR-9/16-3X	13203	9/16	0.5625	16mm	1.688	42.9	2.109	53.6	4.331	110
RCDR-15mm-3X	13204	15mm	0.5906	16mm	1.772	45.0	2.215	56.3	4.331	110
RCDR-5/8-3X	13205	5/8	0.6250	16mm	1.875	47.6	2.344	59.5	4.331	110
RCDR-16mm-3X	13206	16mm	0.6299	16mm	1.890	48.0	2.362	60.0	4.331	110
RCDR-17mm-3X	13207	17mm	0.6693	18mm	2.008	51.0	2.510	63.8	4.882	124
RCDR-18mm-3X	13208	18mm	0.7087	18mm	2.126	54.0	2.657	67.5	4.882	124
RCDR-19mm-3X	13209	19mm	0.7480	20mm	2.244	57.0	2.805	71.3	5.039	128
RCDR-3/4-3X	13210	3/4	0.7500	20mm	2.250	57.2	2.813	71.4	5.039	128
RCDR-20mm-3X	13211	20mm	0.7874	20mm	2.362	60.0	2.953	75.0	5.039	128
Coolant Thru Drills 5X										
RCDR-1/16-5X	13212	1/16	0.0625	3mm	0.313	7.9	0.391	9.9	2.677	68
RCDR-2mm-5X	13213	2mm	0.0787	3mm	0.394	10.0	0.492	12.5	2.677	68
RCDR-3/32-5X	13214	3/32	0.0938	3mm	0.469	11.9	0.586	14.9	2.677	68
RCDR-40-5X	13215	40	0.0980	3mm	0.490	12.4	0.613	15.6	2.677	68
RCDR-2.5mm-5X	13216	2.5mm	0.0984	3mm	0.492	12.5	0.615	15.6	2.677	68
RCDR-36-5X	13217	36	0.1065	3mm	0.533	13.5	0.666	16.9	2.677	68
RCDR-7/64-5X	13218	7/64	0.1094	3mm	0.547	13.9	0.684	17.4	2.677	68
RCDR-32-5X	13219	32	0.1160	3mm	0.580	14.7	0.725	18.4	2.677	68
RCDR-3mm-5X	13220	3mm	0.1181	3mm	0.591	15.0	0.738	18.8	2.677	68
RCDR-31-5X	13221	31	0.1200	1/8	0.600	15.2	0.750	19.1	2.677	68
RCDR-1/8-5X	13222	1/8	0.1250	1/8	0.625	15.9	0.781	19.8	2.677	68
RCDR-30-5X	13223	30	0.1285	4mm	0.643	16.3	0.803	20.4	2.835	72
RCDR-29-5X	13224	29	0.1360	4mm	0.680	17.3	0.850	21.6	2.835	72
RCDR-9/64-5X	13225	9/64	0.1406	4mm	0.703	17.9	0.879	22.3	2.835	72
RCDR-5/32-5X	13226	5/32	0.1563	4mm	0.781	19.8	0.977	24.8	2.835	72

Coolant Thru Drills 5X

TOOL NAME	EDP	SIZE	SIZE_DEC	SHANK	Drill Length Inch	Drill Length mm	Flute Length Inch	Flute Length mm	OAL Inch	OAL mm
RCDR-4mm-5X	13227	4mm	0.1575	4mm	0.787	20.0	0.984	25.0	2.835	72
RCDR-4.5mm-5X	13228	4.5mm	0.1575	5mm	0.787	20.0	0.984	25.0	3.228	82
RCDR-3/16-5X	13229	3/16	0.1875	5mm	0.938	23.8	1.172	29.8	3.228	82
RCDR-5mm-5X	13230	5mm	0.1969	5mm	0.984	25.0	1.230	31.3	3.228	82
RCDR-13/64-5X	13231	13/64	0.2031	6mm	1.016	25.8	1.270	32.2	3.228	82
RCDR-7/32-5X	13232	7/32	0.2188	6mm	1.094	27.8	1.367	34.7	3.228	82
RCDR-6mm-5X	13233	6mm	0.2362	6mm	1.181	30.0	1.476	37.5	3.228	82
RCDR-1/4-5X	13234	1/4	0.2500	8mm	1.250	31.8	1.563	39.7	3.780	96
RCDR-7mm-5X	13235	7mm	0.2756	8mm	1.378	35.0	1.722	43.8	3.780	96
RCDR-9/32-5X	13236	9/32	0.2813	8mm	1.406	35.7	1.758	44.6	3.780	96
RCDR-5/16-5X	13237	5/16	0.3125	8mm	1.563	39.7	1.953	49.6	3.780	96
RCDR-8mm-5X	13238	8mm	0.3150	8mm	1.575	40.0	1.969	50.0	3.780	96
RCDR-11/32-5X	13239	11/32	0.3438	10mm	1.719	43.7	2.148	54.6	4.331	110
RCDR-9mm-5X	13240	9mm	0.3543	10mm	1.772	45.0	2.215	56.3	4.331	110
RCDR-3/8-5X	13241	3/8	0.3750	10mm	1.875	47.6	2.344	59.5	4.331	110
RCDR-10mm-5X	13242	10mm	0.3937	10mm	1.969	50.0	2.461	62.5	4.331	110
RCDR-11mm-5X	13243	11mm	0.4331	12mm	2.165	55.0	2.707	68.8	5.197	132
RCDR-7/16-5X	13244	7/16	0.4375	12mm	2.188	55.6	2.734	69.5	5.197	132
RCDR-12mm-5X	13245	12mm	0.4724	12mm	2.362	60.0	2.953	75.0	5.197	132
RCDR-1/2-5X	13246	1/2	0.5000	14mm	2.500	63.5	3.125	79.4	5.433	138
RCDR-13mm-5X	13247	13mm	0.5118	14mm	2.559	65.0	3.199	81.3	5.433	138
RCDR-14mm-5X	13248	14mm	0.5512	14mm	2.756	70.0	3.445	87.5	5.433	138
RCDR-9/16-5X	13249	9/16	0.5625	16mm	2.813	71.4	3.516	89.3	5.906	150
RCDR-15mm-5X	13250	15mm	0.5906	16mm	2.953	75.0	3.691	93.8	5.906	150
RCDR-5/8-5X	13251	5/8	0.6250	16mm	3.125	79.4	3.906	99.2	5.906	150
RCDR-16mm-5X	13252	16mm	0.6299	16mm	3.150	80.0	3.937	100.0	5.906	150
RCDR-17mm-5X	13253	17mm	0.6693	18mm	3.346	85.0	4.183	106.3	6.496	165
RCDR-18mm-5X	13254	18mm	0.7087	18mm	3.543	90.0	4.429	112.5	6.496	165
RCDR-19mm-5X	13255	19mm	0.7480	20mm	3.740	95.0	4.675	118.8	7.008	178
RCDR-3/4-5X	13256	3/4	0.7500	20mm	3.750	95.3	4.688	119.1	7.008	178
RCDR-20mm-5X	13257	20mm	0.7874	20mm	3.937	100.0	4.921	125.0	7.008	178

Coolant Thru Drills 7X

TOOL NAME	EDP	SIZE	SIZE_DEC	SHANK	Drill Length Inch	Drill Length mm	Flute Length Inch	Flute Length mm	OAL Inch	OAL mm
RCDR-1/16-7X	13258	1/16	0.0625	3mm	0.438	11.1	0.547	13.9	2.992	76
RCDR-2mm-7X	13259	2mm	0.0787	3mm	0.551	14.0	0.689	17.5	2.992	76
RCDR-3/32-7X	13260	3/32	0.0938	3mm	0.657	16.7	0.821	20.8	2.992	76
RCDR-40-7X	13261	40	0.0980	3mm	0.686	17.4	0.858	21.8	2.992	76
RCDR-2.5mm-7X	13262	2.5mm	0.0984	3mm	0.689	17.5	0.861	21.9	2.992	76
RCDR-36-7X	13263	36	0.1065	3mm	0.746	18.9	0.932	23.7	2.992	76
RCDR-7/64-7X	13264	7/64	0.1094	3mm	0.766	19.5	0.957	24.3	2.992	76
RCDR-32-7X	13265	32	0.1160	3mm	0.812	20.6	1.015	25.8	2.992	76
RCDR-3mm-7X	13266	3mm	0.1181	3mm	0.827	21.0	1.033	26.3	2.992	76
RCDR-31-7X	13267	31	0.1200	1/8	0.840	21.3	1.050	26.7	2.992	76
RCDR-1/8-7X	13268	1/8	0.1250	1/8	0.875	22.2	1.094	27.8	2.992	76
RCDR-30-7X	13269	30	0.1285	4mm	0.900	22.8	1.124	28.6	3.228	82
RCDR-29-7X	13270	29	0.1360	4mm	0.952	24.2	1.190	30.2	3.228	82
RCDR-9/64-7X	13271	9/64	0.1406	4mm	0.984	25.0	1.230	31.3	3.228	82
RCDR-5/32-7X	13272	5/32	0.1563	4mm	1.094	27.8	1.367	34.7	3.228	82
RCDR-4mm-7X	13273	4mm	0.1575	4mm	1.102	28.0	1.378	35.0	3.228	82
RCDR-4.5mm-7X	13274	4.5mm	0.1575	5mm	1.102	28.0	1.378	35.0	3.780	96
RCDR-3/16-7X	13275	3/16	0.1875	5mm	1.313	33.3	1.641	41.7	3.780	96
RCDR-5mm-7X	13276	5mm	0.1969	5mm	1.378	35.0	1.722	43.8	3.780	96
RCDR-13/64-7X	13277	13/64	0.2031	6mm	1.422	36.1	1.777	45.1	3.780	96
RCDR-7/32-7X	13278	7/32	0.2188	6mm	1.531	38.9	1.914	48.6	3.780	96
RCDR-6mm-7X	13279	6mm	0.2362	6mm	1.654	42.0	2.067	52.5	3.780	96
RCDR-1/4-7X	13280	1/4	0.2500	8mm	1.750	44.5	2.188	55.6	4.567	116
RCDR-7mm-7X	13281	7mm	0.2756	8mm	1.929	49.0	2.411	61.3	4.567	116
RCDR-9/32-7X	13282	9/32	0.2813	8mm	1.969	50.0	2.461	62.5	4.567	116
RCDR-5/16-7X	13283	5/16	0.3125	8mm	2.188	55.6	2.734	69.5	4.567	116
RCDR-8mm-7X	13284	8mm	0.3150	8mm	2.205	56.0	2.756	70.0	4.567	116
RCDR-11/32-7X	13285	11/32	0.3438	10mm	2.406	61.1	3.008	76.4	5.512	140
RCDR-9mm-7X	13286	9mm	0.3543	10mm	2.480	63.0	3.100	78.8	5.512	140
RCDR-3/8-7X	13287	3/8	0.3750	10mm	2.625	66.7	3.281	83.3	5.512	140
RCDR-10mm-7X	13288	10mm	0.3937	10mm	2.756	70.0	3.445	87.5	5.512	140
RCDR-11mm-7X	13289	11mm	0.4331	12mm	3.031	77.0	3.789	96.3	6.378	162
RCDR-7/16-7X	13290	7/16	0.4375	12mm	3.063	77.8	3.828	97.2	6.378	162
RCDR-12mm-7X	13291	12mm	0.4724	12mm	3.307	84.0	4.134	105.0	6.378	162

Coolant Thru Drills 7X

TOOL NAME	EDP	SIZE	SIZE_DEC	SHANK	Drill Length Inch	Drill Length mm	Flute Length Inch	Flute Length mm	OAL Inch	OAL mm
RCDR-1/2-7X	13292	1/2	0.5000	14mm	3.500	88.9	4.375	111.1	6.496	165
RCDR-13mm-7X	13293	13mm	0.5118	14mm	3.583	91.0	4.478	113.8	6.496	165
RCDR-14mm-7X	13294	14mm	0.5512	14mm	3.858	98.0	4.823	122.5	6.890	175
RCDR-9/16-7X	13295	9/16	0.5625	16mm	3.938	100.0	4.922	125.0	7.480	190
RCDR-15mm-7X	13296	15mm	0.5906	16mm	4.134	105.0	5.167	131.3	7.480	190
RCDR-5/8-7X	13297	5/8	0.6250	16mm	4.375	111.1	5.469	138.9	7.480	190
RCDR-16mm-7X	13298	16mm	0.6299	16mm	4.409	112.0	5.512	140.0	7.480	190
RCDR-17mm-7X	13299	17mm	0.6693	18mm	4.685	119.0	5.856	148.8	8.465	215
RCDR-18mm-7X	13300	18mm	0.7087	18mm	4.961	126.0	6.201	157.5	8.465	215
RCDR-19mm-7X	13301	19mm	0.7480	20mm	5.236	133.0	6.545	166.3	8.976	228
RCDR-3/4-7X	13302	3/4	0.7500	20mm	5.250	133.4	6.563	166.7	8.976	228
RCDR-20mm-7X	13303	20mm	0.7874	20mm	5.512	140.0	6.890	175.0	8.976	228